PRINTED: 09/10/2012 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
		000189		A. BUILDING B. WING		C 09/06/2012	
NAME OF PROVIDER OR SUPPLIER			STREET ADD	RESS, CITY, STA	TE, ZIP CODE	1 00,0	0,2012
AMEDICAN VII LACE				6 E 54TH ST ANAPOLIS, IN 46220			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	(EACH CORRECTIVE ACTION SHOULD BE COI		(X5) COMPLETE DATE
R 000	INITIAL COMMENTS			R 000			
	This visit was for the Investigation of Complaint IN00115677. Complaint IN00115677 - Substantiated. No						
	deficiencies related to the allegations are cited.						
	Survey date: September 6, 2012						
	Facility number: 000189 Provider number: 155292 AIM number: 100267330						
	Survey team: Connie Landman RN						
	Census bed type: Residential: 77 Total: 77						
	Census payor type: Other: 77 Total: 77						
	Residential sample: 6						
	American Village was found to be in compliance with 410 IAC 16.2 in regard to the Investigation of Complaint IN00115677.						
	Quality review comple Bartelt, RN.	eted 9/7/12 by Jennie					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE